

**A00239SR MST SEAS SPR RAIN HH 20net10**

Version 1.1

Revision Date 07/01/2015

Print Date 10/08/2015

**SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Material name : A00239SR MST SEAS SPR RAIN HH 20net10

Material number : 000000000001001870

**Manufacturer or supplier's details**

Company : Zep Inc.

Address : 1310 Seaboard Industrial Blvd., NW  
Atlanta, GA 30318

Telephone : 404-352-1680

**Emergency telephone numbers****For SDS Information** : Compliance Services 1-877-428-9937**For a Medical Emergency** : 877-541-2016 Toll Free - All Calls Recorded**For a Transportation Emergency** : CHEMTREC: 800-424-9300 - All Calls Recorded.  
In the District of Columbia 202-483-7616**SECTION 2. HAZARDS IDENTIFICATION****Emergency Overview**

|            |                                    |
|------------|------------------------------------|
| Appearance | Aerosol containing a liquefied gas |
| Colour     | colourless, light yellow           |
| Odour      | characteristic                     |

**GHS Classification**

Flammable aerosols : Category 1  
Gases under pressure : Liquefied gas  
Eye irritation : Category 2A  
Skin sensitisation : Category 1  
Specific target organ toxicity - single exposure : Category 3 (Central nervous system)

**GHS Label element**

Hazard pictograms



Signal word

: Danger

Hazard statements

: H222 Extremely flammable aerosol.  
H280 Contains gas under pressure; may explode if heated.  
H317 May cause an allergic skin reaction.  
H319 Causes serious eye irritation.  
H336 May cause drowsiness or dizziness.

Precautionary statements

: **Prevention:**  
P210 Keep away from heat/sparks/open flames/hot surfaces.  
No smoking.

**A00239SR MST SEAS SPR RAIN HH 20net10**

Version 1.1

Revision Date 07/01/2015

Print Date 10/08/2015

P211 Do not spray on an open flame or other ignition source.  
P251 Pressurized container: Do not pierce or burn, even after use.  
P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.  
P264 Wash skin thoroughly after handling.  
P271 Use only outdoors or in a well-ventilated area.  
P272 Contaminated work clothing should not be allowed out of the workplace.  
P280 Wear eye protection/ face protection.  
P280 Wear protective gloves.

**Response:**

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.  
P304 + P340 + P312 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/ physician if you feel unwell.  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.  
P337 + P313 If eye irritation persists: Get medical advice/ attention.  
P363 Wash contaminated clothing before reuse.

**Storage:**

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.  
P405 Store locked up.  
P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.

**Disposal:**

Dispose of contents/container in accordance with local regulation.

**Potential Health Effects****Carcinogenicity:****IARC**

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**ACGIH**

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

**OSHA**

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

**NTP**

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

---

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

**Hazardous components**

**A00239SR MST SEAS SPR RAIN HH 20net10**

Version 1.1

Revision Date 07/01/2015

Print Date 10/08/2015

| Chemical Name     | CAS-No.  | Concentration [%] |
|-------------------|----------|-------------------|
| acetone           | 67-64-1  | >= 70 - < 90      |
| propane           | 74-98-6  | >= 10 - < 20      |
| butane            | 106-97-8 | >= 5 - < 10       |
| benzyl salicylate | 118-58-1 | >= 0.1 - < 1      |
| eugenol           | eugenol  | >= 0.1 - < 1      |

**SECTION 4. FIRST AID MEASURES**

- General advice : Show this safety data sheet to the doctor in attendance.
- If inhaled : If inhaled, remove to fresh air.  
If not breathing, give artificial respiration.  
If breathing is difficult, give oxygen.
- In case of skin contact : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.  
Wash clothing before reuse.  
Call a physician if irritation develops or persists.
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.  
If easy to do, remove contact lens, if worn.  
Seek medical advice.
- If swallowed : If swallowed, DO NOT induce vomiting unless directed to do so by medical personnel.  
Never give anything by mouth to an unconscious person.

**SECTION 5. FIREFIGHTING MEASURES**

- Suitable extinguishing media : Foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical
- Unsuitable extinguishing media : Water
- Hazardous combustion products : Carbon dioxide (CO<sub>2</sub>)  
Carbon monoxide  
Smoke
- Specific extinguishing methods :
- Further information : For safety reasons in case of fire, cans should be stored separately in closed containments.  
Use a water spray to cool fully closed containers.
- Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

**A00239SR MST SEAS SPR RAIN HH 20net10**

Version 1.1

Revision Date 07/01/2015

Print Date 10/08/2015

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Ensure adequate ventilation.  
Remove all sources of ignition.  
Evacuate personnel to safe areas.  
Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
- Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).  
Sweep up and shovel into suitable containers for disposal.

**SECTION 7. HANDLING AND STORAGE**

- Advice on safe handling : Keep away from fire (No Smoking).  
Do not swallow.  
Avoid contact with skin and eyes.  
Smoking, eating and drinking should be prohibited in the application area.  
Always replace cap after use.  
Use only with adequate ventilation.  
Do not breathe vapours or spray mist.
- Conditions for safe storage : BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects.  
No smoking.  
Observe label precautions.  
Electrical installations / working materials must comply with the technological safety standards.  
Keep in a dry, cool and well-ventilated place.
- Materials to avoid : Do not store together with oxidizing and self-igniting products.
- Storage temperature : < 49 °C

**SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION****Components with workplace control parameters**

| Components | CAS-No. | Value type<br>(Form of exposure) | Control parameters / Permissible concentration | Basis     |
|------------|---------|----------------------------------|--|-----------|
| acetone    | 67-64-1 | TWA                              | 500 ppm  | ACGIH     |
|            |         | STEL                             | 750 ppm  | ACGIH     |
|            |         | TWA                              | 250 ppm<br>590 mg/m3                           | NIOSH REL |
|            |         | TWA                              | 1,000 ppm                                      | OSHA Z-1  |

## A00239SR MST SEAS SPR RAIN HH 20net10

Version 1.1

Revision Date 07/01/2015

Print Date 10/08/2015

|         |          |      |                          |           |
|---------|----------|------|--------------------------|-----------|
|         |          |      | 2,400 mg/m3              |           |
|         |          | TWA  | 750 ppm<br>1,800 mg/m3   | OSHA P0   |
|         |          | STEL | 1,000 ppm<br>2,400 mg/m3 | OSHA P0   |
| propane | 74-98-6  | TWA  | 1,000 ppm                | ACGIH     |
|         |          | TWA  | 1,000 ppm<br>1,800 mg/m3 | NIOSH REL |
|         |          | TWA  | 1,000 ppm<br>1,800 mg/m3 | OSHA Z-1  |
|         |          | TWA  | 1,000 ppm<br>1,800 mg/m3 | OSHA P0   |
| butane  | 106-97-8 | TWA  | 800 ppm<br>1,900 mg/m3   | NIOSH REL |
|         |          | TWA  | 800 ppm<br>1,900 mg/m3   | OSHA P0   |

## Biological occupational exposure limits

| Component   | CAS-No. | Control parameters | Biological specimen | Sampling time  | Permissible concentration | Basis     |
|-------------|---------|--------------------|---------------------|--|---------------------------|-----------|
| 2-PROPANONE | 67-64-1 | Acetone            | Urine               | End of shift (As soon as possible after exposure ceases) | 50 mg/l                   | ACGIH BEI |

## Personal protective equipment

- Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.
- Hand protection  
Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.
- Eye protection : Tightly fitting safety goggles  
Ensure that eyewash stations and safety showers are close to the workstation location.
- Skin and body protection : Impervious clothing  
Choose body protection according to the amount and concentration of the dangerous substance at the work place.
- Hygiene measures : Handle in accordance with good industrial hygiene and safety practice.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : Aerosol containing a liquefied gas

**A00239SR MST SEAS SPR RAIN HH 20net10**

Version 1.1

Revision Date 07/01/2015

Print Date 10/08/2015

|  |                                |
|--|--------------------------------|
| Colour                                 | : colourless, light yellow     |
| Odour                                  | : characteristic               |
| Odour Threshold                        | : No data available            |
| pH                                     | : Not applicable               |
| Melting point/freezing point           | : No data available            |
| Boiling point                          | : No data available            |
| Flash point                            | :<br>Not applicable            |
| Evaporation rate                       | : not determined               |
| Flammability (solid, gas)              | : Extremely flammable aerosol. |
| Upper explosion limit                  | : No data available            |
| Lower explosion limit                  | : No data available            |
| Vapour pressure                        | : No data available            |
| Relative vapour density                | : No data available            |
| Density                                | : No data available            |
| Solubility(ies)                        |                                |
| Water solubility                       | : completely soluble           |
| Solubility in other solvents           | : not determined               |
| Partition coefficient: n-octanol/water | : No data available            |
| Auto-ignition temperature              | : not determined               |
| Thermal decomposition                  | : No data available            |
| Viscosity                              |                                |
| Viscosity, kinematic                   | : No data available            |

**SECTION 10. STABILITY AND REACTIVITY**

|                                    |   |
|------------------------------------|---|
| Reactivity                         | : Stable  |
| Chemical stability                 | : Stable under normal conditions.   |
| Possibility of hazardous reactions | : Vapours may form explosive mixture with air.<br>No decomposition if stored and applied as directed. |
| Conditions to avoid                | : Heat, flames and sparks.  |
| Incompatible materials             | : Oxidizing agents<br>Bases<br>Amines   |
| Hazardous decomposition products   | : Carbon oxides   |

**SECTION 11. TOXICOLOGICAL INFORMATION****Acute toxicity****Product:**

Acute oral toxicity : Acute toxicity estimate : > 5,000 mg/kg  
Method: Calculation method

**Components:****acetone:**

Acute oral toxicity : LD50 Rat: 5,800 mg/kg

Acute inhalation toxicity : LC50 Rat: 132 mg/l  
Exposure time: 3 h

LC50 Rat: 50.1 mg/l

Acute dermal toxicity : LD50 Guinea pig: > 7,426 mg/kg

LD50 Rabbit: > 7,426 mg/kg

**propane:**

Acute inhalation toxicity : LC50 Mouse: 1,237 mg/l  
Exposure time: 2 h

LC50 Rat: 658 mg/l  
Exposure time: 4 h

LC50 Rat: 1,355 mg/l

**butane:**

Acute inhalation toxicity : LC50 Mouse: 1,237 mg/l  
Exposure time: 2 h

LC50 Rat: 1,355 mg/l

**benzyl salicylate:**

Acute oral toxicity : LD50 Oral Rat: 2,227 mg/kg

**Skin corrosion/irritation****Product:**

Remarks: May cause skin irritation in susceptible persons.

**Serious eye damage/eye irritation****Product:**

# SAFETY DATA SHEET



## A00239SR MST SEAS SPR RAIN HH 20net10

Version 1.1

Revision Date 07/01/2015

Print Date 10/08/2015

Remarks: Eye irritation

### Respiratory or skin sensitisation

#### Product:

Remarks: Causes sensitisation.

### Germ cell mutagenicity

No data available

### Carcinogenicity

No data available

### Reproductive toxicity

No data available

acetone:

propane:

butane:

benzyl salicylate:

eugenol:

### STOT - single exposure

No data available

### STOT - repeated exposure

No data available

### Aspiration toxicity

No data available

### Further information

#### Product:

Remarks: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting., Concentrations substantially above the TLV value may cause narcotic effects., Solvents may degrease the skin.

---

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

No data available

### Persistence and degradability

No data available

### Bioaccumulative potential

#### Product:

Partition coefficient: n-octanol/water : Remarks: No data available

#### Components:

**A00239SR MST SEAS SPR RAIN HH 20net10**

Version 1.1

Revision Date 07/01/2015

Print Date 10/08/2015

**butane :**Partition coefficient: n-  
octanol/water : Pow: 2.89**Mobility in soil**

No data available

**Other adverse effects**

No data available

**Product:****Regulation**40 CFR Protection of Environment; Part 82 Protection of  
Stratospheric Ozone - CAA Section 602 Class I  
Substances**Remarks**This product neither contains, nor was manufactured  
with a Class I or Class II ODS as defined by the U.S.  
Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A  
+ B).Additional ecological  
information

: No data available

---

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**

Waste from residues

: Dispose of in accordance with local regulations.  
The product should not be allowed to enter drains, water  
courses or the soil.  
Do not contaminate ponds, waterways or ditches with  
chemical or used container.

Contaminated packaging

: Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.  
Do not burn, or use a cutting torch on, the empty drum.

---

**SECTION 14. TRANSPORT INFORMATION**Transportation Regulation: 49 CFR (USA):  
ORM-D, CONSUMER COMMODITYTransportation Regulation: IMDG (Vessel):  
UN1950, AEROSOLS, 2.1, - Limited quantityTransportation Regulation: IATA (Cargo Air):  
UN1950, Aerosols, flammable, 2.1, - Limited quantityTransportation Regulation: IATA (Passenger Air):  
UN1950, Aerosols, flammable, 2.1, - Limited quantity

# SAFETY DATA SHEET



## A00239SR MST SEAS SPR RAIN HH 20net10

Version 1.1

Revision Date 07/01/2015

Print Date 10/08/2015

Transportation Regulation: TDG (Canada):  
UN1950, AEROSOLS, 2.1, - Limited quantity

### SECTION 15. REGULATORY INFORMATION

#### EPCRA - Emergency Planning and Community Right-to-Know Act

##### CERCLA Reportable Quantity

| Components | CAS-No. | Component RQ<br>(lbs) | Calculated product RQ<br>(lbs) |
|------------|---------|-----------------------|--------------------------------|
| acetone    | 67-64-1 | 5000                  | *                              |

\*: Calculated RQ exceeds reasonably attainable upper limit.

##### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

**SARA 311/312 Hazards** : Fire Hazard  
Sudden Release of Pressure Hazard  
Acute Health Hazard

**SARA 302** : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

**California Prop 65** This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

#### The components of this product are reported in the following inventories:

**TSCA** On TSCA Inventory  
**DSL** This product contains one or several components that are not on the Canadian DSL nor NDSL.  
**AICS** Not in compliance with the inventory  
**NZIoC** Not in compliance with the inventory  
**PICCS** Not in compliance with the inventory  
**IECSC** Not in compliance with the inventory

#### Inventory Acronym and Validity Area Legend:

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

### SECTION 16. OTHER INFORMATION

## SAFETY DATA SHEET



## A00239SR MST SEAS SPR RAIN HH 20net10


Version 1.1

Revision Date 07/01/2015

Print Date 10/08/2015

## Further information

## NFPA:



## HMIS III:

|                 |   |
|-----------------|---|
| HEALTH          | 3 |
| FLAMMABILITY    | 4 |
| PHYSICAL HAZARD | 2 |

0 = not significant, 1 = Slight,  
2 = Moderate, 3 = High  
4 = Extreme, \* = Chronic

## OSHA GHS Label Information:

Hazard pictograms



Signal word

: **Danger:**

Hazard statements

: Extremely flammable aerosol. Contains gas under pressure; may explode if heated. May cause an allergic skin reaction. Causes serious eye irritation. May cause drowsiness or dizziness.

Precautionary statements

: **Prevention:** Keep away from heat/sparks/open flames/hot surfaces. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Avoid breathing dust/fume/gas/mist/vapours/spray. Wash skin thoroughly after handling. Use only outdoors or in a well-ventilated area. Contaminated work clothing should not be allowed out of the workplace. Wear eye protection/face protection. Wear protective gloves.  
**Response:** IF ON SKIN: Wash with plenty of soap and water. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Wash contaminated clothing before reuse.  
**Storage:** Store in a well-ventilated place. Keep container tightly closed. Store locked up. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.  
**Disposal:** Dispose of contents/container in accordance with local regulation.

|                |            |
|----------------|------------|
| Version:       | 1.1        |
| Revision Date: | 07/01/2015 |
| Print Date:    | 10/08/2015 |

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes.

This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

## SAFETY DATA SHEET



### A00239SR MST SEAS SPR RAIN HH 20net10

Version 1.1

Revision Date 07/01/2015

Print Date 10/08/2015

Zep Inc. markets products under well recognized and established brand names such as Zep®, Zep Commercial®, Zep Professional®, Enforcer®, National Chemical™, Selig™, Misty®, Next Dimension™, Petro®, i-Chem®, TimeMist®, TimeWick™, MicrobeMax®, Country Vet®, Konk®, Original Bike Spirits®, Blue Coral®, Black Magic®, Rain-X®, Niagara National™, FC Forward Chemicals®, Rexodan®, Mykal™, and a number of private labeled brands.