
	ITEM NO.	PART NO.	DESCRIPTION		
	1	H273	nut, kep, #10-32 zinc	14	
	2	G165	cover, relay	2	
	3	E632	relay, shut-off switch, mechanical float, 115v	2	
= [4	H186	screw, 10-32 x 3/4, phil, flat, countersunk, s/s, black	6	
	5	H296	guard, cooling fan, wire	2	
	6	H304	screw, 8 x 5/8", phil oval, s/s	14	
	7	H378	bracket, front hinge, sp/fb	1	
_	8	H210	washer, 1/4" flat, s/s	38	
_	9	H213	washer, 1/4" lock, s/s	11	
_	10	H201 H216	bolt, 1/4-20 x 1/2", hex head, zinc	2	
_	11		nut, lock, 1/4-20, nylon insert, s/s	10	
_	13	H316 E564	bolt, 1/4x1-1/2", hex head zinc controller, circuit light, audible	1	
	14	H342	bolt, 1/4-20 x 1" hex head, s/s	12	
= -	15	H668	caster, 4", black hub & gray tread	2	
	16	P731	base	1	
	17	H371	axle, 18.03" x .50" dia	1	
	18	H254	washer, axle, cut 1/2" id	8	
-	19	H109	wheel, 10", foam filled	2	
_	20	H042	c-clip, 12mm, external	2	
	21	E360	flanged male inlet recaptacle, 230V, 20A	2	
_	22	H230	screw, 10-32 x 1/2" phil pan head, s/s	10	
	23	H912	bracket, rear, fb/spy	1	
	24	H770	bolt, 1/4-20 x 1/2" serrated hex flange, zinc	8	
, [25	H307	washer, star, 1/4" steel zinc	2	
	26	H215	nut, hex, 1/4-20 s/s	6	
	27	B107	nipple, hex, 1/4"mpt x 1/4"mpt	8 2 6 3 1 5 1 1 2 1 1 1	
	28	B644	barb, 1/2" barb x 1/4" mpt		
	29	B103	elbow, 90 deg street, 1/4"mpt x 1/4" fpt		
	30	C342	pump, 500 PSI, pumptec, 120V/230V		
	31	B127	plug, brass, 1/4"mpt, hex		
-	32	AH117 B136	sol hose, pulse, 3/8" x 49", 1/4 fsw x 1/4 fsw		
-	34	B160	elbow, brass, 90 deg, 1/4" mpt x 1/4" mpt adapter, brass, 1/2" barb x 3/8" fsw, ball end		
-	35	H347	clamp, hose, 5/16-29/32	2	
;	36	PH615K-36	sol hose, 1/2" kuri, 100 psi	1	
^	37	H201	bolt, 1/4-20 x 1/2" hex head, s/s	2	
	38	H211	washer, 1/4"id x 1"od, flat, s/s	6	
	39	G052	washer, buna 1-1/8" od x 3/16" id	6	
	40	H485	handle, aluminum grip, black	1	
	41	PH612-55	clear tubing, 1/2" OD x 3/8" ID, faucet fill	1	
_	42	B241	adapter, brass, 3/8" barb x 1/4"mpt	1	
	43	H178	faucet fill	1	
	44	G018	cover, sol tank (sp)	1	
	45	P732	sol tank, speedster	1	
	46	H124V	Cuff-Lynx, 2" fem cuff x 2" male thread starter cuff, vinyl	2	
·	47	PH634-24	sol hose, 1/4", 300 PSI	1	
_	48	H164	grommet, 5/8" ID	2	
	49	B109	barb, 1/4" barb x 1/4" mpt	2	
	50	H484	plate, mounting, QD	1	
_	51 52	C313C B135	regulator, 450 psi, silver spring	1	
+	53	B102	tee, 1/4" mpt x 1/4" mpt x 1/4" mpt quick disconnect, 1/4" fqd x 1/4" fpt	1	
_	53 54	B656	valve, ball, 1/4" fpt x 1/4" fpt, s/s	1	
-	55	B170	ferrule, 1/4" brass	2	
-	 56	PH634-24	sol hose, 1/4", 300 PSI	1	
-	56 	B186	elbow, 90 deg street, 3/8"mpt x 3/8" fmpt	1	
\	58	H299	washer, 11/16"id x 1-1/2"od x .075, s/s	3	
_	59	B216	nipple, brass, 3/8" x close	1	
		1	· ·	1	
	60	B210	bushing, brass, 1/2"mpt x 3/8" fpt, hex		
	60 61	B210 B119A	filter, strainer, 1/2" fpt	1	

	5			
ITEM NO.	PART NO.	DESCRIPTION		
63	P967A	plug, switch	1	
64	E515	switch, rocker, 2 position	3	
65	H289	washer, 10 flat, s/s	1	
66	H389	screw, 10-32 x 1/2" SHCS, alloy	1	
67	H308D	gauge, pressure, 2000 PSI	1	
68	E512B	light, indicator, blue	1	
69	H246	screw, 8-32 x 3/8" SHCS, alloy, Black	2	
70	H612	washer, 8 flat, black ox	2	
71	H337	plate, switch,1003DX, 1005DX	1	
72	P733	vac tank, speedster	1	
73	B156	nut, 1/4" npt	1	
74	H212	flat washer, 9/16"ID x 1 1/16"OD, AN960-C916	2	
75	E373	level switch, vacuum shut-off, rear threads	2	
76	B113	tee, 1/4" fpt x 1/4" fpt x 1/4" fpt	1	
77	PH633-2	pipe, pvc, 1-1/2"	2	
78	P503	adapter, 1.5" pvc, 45 deg, fslip	2	
79	G097	filter, screen mesh, 1.90" dia	1	
80	G003	filter, foam, 2", vac stack, 1/2"	1	
81	G091	gasket, 7", vac lid	1	
82	G090	lid, vac tank, clear, 7"	1	
83	PH633-1	pipe, pvc, 1-1/2"	1	
84	P502	adapter, 1.5" pvc, fslip x fslip	1	
85	PH633-06	pipe, pvc, 1-1/2"	1	
86	H244	adapter, pvc, 1-1/2" fms x fmpt	1	
87	H314	nut, lock, 1-1/2", steel	1	
88	A145	Handle, Wheel Kit, LTD	1	
89	H225	valve, drain, 1-1/2"	1	
90	H226	spout, drain, 45 degree	1	
91	A926	elbow, inlet assembly 2"	1	
92	H135V	Cuff-Lynx, 2" male cuff x 2" mpt, vinyl	1	
93	H390A	bracket, "L", 2" x 2"	2	
94	P631	adapter, pvc, 1-1/2" mpt x 1-1/4" fms	1	
95	PH628-4	vac hose, 2", black, wire reinforced	1	
96	H217	clamp, hose, 2-1/4 dia	4	
97	H503	vac support, 3 stage, 3.25", no thrds	3	
98	C347	vac motor, lx, hybrid, 173 cfm, 120v	1	
99	H203	bolt, 1/4-20 x 1-1/4"	2	
100	H469-A	bracket, vac motor, 6.6", u-shape		
101	H096	bolt, hex, 1/4-20 x 4", zinc Finish		
102	H469-B	bracket, vac motor, 6.6", round		
103	G100	gasket, air series manifold	1	
104	H202	bolt, 1/4-20 x 3/4" hex head, s/s	5	
105	C348	vac motor, lx, hybrid, w/inlet tube, 173 cfm, 120v	1	
106	PH628-15	vac hose, 2" wire reinforced, gray	1	
107	107 H194 coupler, 2" dia x 2.5" length, s/s			


ITEMS NOT SHOWN

PART NO.	DESCRIPTION	QTY
A145	wheel kit, handle	1
ADP-ACCS	manual, print	1
ADP-QS	manual, print	1
E351A	power cord, ext 50'	1
G008	black piglet filters	1
H110V	cuff-lynx, 2" fem cuff x 2" hose	1
H141V	cuff-lynx, 2" fem cuff x 1.5" fem vac hose, vinyl	1
P590	cuties, 1/4" qd, standard	1

To Order Call: 224-654-6500 www.UNOCLEAN.com




	NAME	DATE	MÝTEF.		
DRAWN	M.LaBarbera	12/2017	858-679-1191		
CHECKED			TITLE:		
COMMENTS: PROPRIETARY AND CONFIDENTIAL			speedster		
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF MYTEE LLC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF MYTEE LLC IS PROHIBITED.		ERTY OF TION IN PART E WRITTEN	SIZE DWG. NO. REV OD		
			SCALE: 1:32 DO NOT SHEET 1 OF 4		




ITEM NO. PART NO. **DESCRIPTION** QTY. H042 c-clip, 12mm, external wheel, 3" 2 H358B H507 axle, 7.94" x .50" dia washer, 1/4" flat, s/s 2 H210 H169 bolt, 1/4-20 x 2", hex head P650 wheel handle, LTD G052 washer, buna 1-1/8" od x 3/16" id H211 washer, 1/4"id x 1"od, flat, s/s 2 H216 nut, lock, 1/4-20, nylon insert, s/s

To Order Call: 224-654-6500 www.UNOCLEAN.com

REVISIONS						
REV.	DESCRIPTION	DATE	APPROVED			
OD	ORIGINAL DRAFT	3/2019	JFL			





	NAME	DATE			MYT	FF		
DRAWN	M.LaBarbera	3/2019	858-679-1191					
CHECKED			TITLE:					
COMMENTS: PROPRIETARY AND CONFIDENTIAL			-	lar	ndle, Kit, I			eel
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF MYTEE ILC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF MYTEE ILC IS PROHIBITED.		SIZE	DWG.	1005	SLX	7	REV OD	
		SCAL	E: 1:4	DO NOT SCALE DRAV		SHEE	T 3 OF 4	

REVISIONS REV. DESCRIPTION DATE APPROVED ORIGINAL DRAFT 12/2017

To Order Call: 224-654-6500 www.UNOCLEAN.com

MYTEE NAME DRAWN M.LaBarbera TITLE: CHECKED COMMENTS: PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS
DRAWING IS THE SOLE PROPERTY OF
MYTEE LLC. ANY REPRODUCTION IN PART
OR AS A WHOLE WITHOUT THE WRITTEN
PERMISSION OF MYTEE LLC IS PROHIBITED. SIZE DWG. NO. REV SCALE: 1:32 DO NOT SCALE DRAWING SHEET 4 OF 4

6

4

2

7

5

3