

~		SAF	ETY DAT	TA SHEET		Page 1 of 5 GG-006
Prep	ared to OSHA, ACC, ANSI	NOHSC, WHMIS, 2001/58 & 1272/2	2008/EC Standards	SDS Revision: 3.0-P	SDS Revision Date:	8/25/2015
		1. PRODUC	T & COMPAN	/ IDENTIFICATION		
.1	Product Name:			FLOOR CLEANER		
.2	Chemical Name:	Agueous Solution	· · · · · · · · · · · · · · · · · · ·			
3	Synonyms:	GG0175, GG0035				
.4	Trade Names:	Granite Gold Stone & Tile Fl	oor Cleaner (207-0060	03-1)		
.5	Product Use:	Cleaner	20. 0.04.10. (20. 0000	.,		
6	Distributor's Name:	Granite Gold. Inc.				
.7	Distributor's Address:	9170 Chesapeake Drive, Sa	n Diego CA 92123 US/	4		
.8	Emergency Phone:	CHEMTREC +1 (703)				
.9	Business Phone / Fax:	Tel: +1 (858) 499-8933	027 0001711 (00)	3) 424 3000		
		•				
		2. H	AZARDS IDEN	TIFICATION		
2.1	Hazard Identification:	according to the classificati event of an exposure or me poison control center, who naqueous solution. WARNIN HARMFUL TO AQUATIC Limits (Classification: Skin Irrit. 2; Elements (H): H31 — Harmful to aquatic life with Precautionary Statements (I) = Avoid release to the env P302+P352 — IF ON SKIN: cautiously with water for secontainer insing. P310 — Ir see container label and secons	on criteria of NOHSC: dical inquiry involving any seek advice from the G! CAUSES SKIN IRR G! CAUSES SKIN IRR GIFE WITH LONG LAST ye Irrit. 1; Aquatic Chro 5 – Causes skin irritati along lasting effects. P): P264 – Wash with seriornment. P280 – We Wash with plenty of the veral minutes. Remonmediately calla POISC tion 4 First Aid of this 3 2362+P364 – Take off	nic 3 on. H318 – Causes serious ey soap and water thoroughly after ar protective gloves; wear ey vater. P305+P351+P338 – IF ove contact lenses, if present DN CENTER/doctor. P321 – S DS. P332+P313 – If skin irri contaminated clothing and wa	(Australia). In the physician or local withem this SDS. SEYE DAMAGE. The damage. H412 or handling. P273 e/face protection. IN EYES: Rinse and easy to do. Specific treatment tation occurs: Get	
		0 00MD00IT	ION O INORES	IENT INCODMATIO	N 1	
		3. CUNIPOSII	IUN & INGRED	IENT INFORMATIO		
				ACGIH NOHSC	E LIMITS IN AIR (mg/m³)	

					EXPOSURE LIMITS IN AIR (mg/m³)								
					AC	GIH		NOHSC			OSHA		
					pp	om		ppm			ppm		
CHEMICAL NAME(S)	CAS No.	RTECS No.	EINECS No.	%	TLV	STEL	ES- TWA	ES- STEL	ES- PEAK	PEL	STEL	IDLH	OTHER
WATER	7732-18-5	ZC0110000	231-191-2	60-100	NE	NE	NF	NF	NF	NE	NE	NE	
WATER													
DDODDIETA DV INCDEDIENTS	NA	NA	NA	1-5	NA	NA	NF	NF	NF	NA	NA	NA	
PROPRIETARY INGREDIENTS													
EDACDANICE.	NA	NA	NA	0.0-0.1	NA	NA	NF	NF	NF	NA	NA	NA	
FRAGRANCE													

A FIRST AID MEASIIRES

			4. FIRST AID MEASURES
4.1	First Aid:	Ingestion:	DO NOT INDUCE VOMITING. Contact ChemTrec at +1 (703) 527-3887 or the nearest Poison Control Center or local emergency telephone number for assistance and instructions. Seek immediate medical attention. If vomiting occurs spontaneously, keep victim's head lowered (forward) to reduce the risk of aspiration.
		Eyes:	Flush eyes thoroughly with copious amounts of water for at least 15 minutes, holding eyelid(s) open to ensure complete flushing. If irritation persists, seek immediate medical attention.
		Skin:	Remove contaminated clothing and wash affected areas with soap and water. If irritation persists, seek prompt medical attention. Do not wear contaminated clothing until after it has been properly cleaned.
		Inhalation:	Remove victim to fresh air at once. If breathing is difficult, administer supplemental oxygen and seek immediate medical attention. If breathing stops, perform artificial respiration.
4.2	Effects of Exposure:	Ingestion:	If product is swallowed, may cause nausea, vomiting and/or diarrhea.
		Eyes:	This product can cause transient mild eye irritation with short-term contact with liquid sprays or mists.
		Skin:	This product can cause mild, transient skin irritation with short-term exposure.
		Inhalation:	Exposure may cause respiratory tract irritation in some sensitive individuals.
4.3	Symptoms of Overexposure:	Skin:	Prolonged contact with skin may result in bleaching and irritation of skin. The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) in some sensitive individuals. Symptoms of skin overexposure may include redness, itching, and irritation of affected areas.
		Eyes:	Overexposure in eyes may cause redness, itching and watering (risk of serious damage to eyes). Contact may cause serious eye irritation including stinging, watering, redness.



SAFETY DATA SHEET

Page 2 of 5 **GG-006**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision Date: 8/25/2015 4. FIRST AID MEASURES - cont'd Moderate irritation to eyes. Moderate irritation to skin near affected areas. Acute health hazards may be delayed. Most 4 4 Acute Health Effects: common symptoms include irritating properties to eyes, respiratory system and skin. 4.5 Chronic Health Effects: No harmful or chronic health effects are expected to occur from a single accidental ingestion. These ingredients may be irritating to skin and mucous membrane of the eve and respiratory system. Overexposure may trigger asthma-like symptoms in some sensitive individuals. May also induce skin sensitization and respiratory hypersensitivity. Possible allergic dermatitis. 4.6 Target Organs: 4.7 Medical Conditions Pre-existing dermatitis, other skin conditions, and disorders of the **HEALTH** 1 Aggravated by Exposure: target organs (eyes, skin, and respiratory system) or impaired kidney **FLAMMABILITY** 0 function may be more susceptible to the effects of this substance. **PHYSICAL HAZARDS** 0 PROTECTIVE EQUIPMENT Α **EYES** 5. FIREFIGHTING MEASURES Will not burn, but decomposition, which may be caused by heat, will release oxygen which will 5.1 Fire & Explosion Hazards: increase the explosive limit range and burning rate of flammable vapors. As a result of combustion and thermal decomposition, oxidation products may form and exposure to such products may result in health hazards 5.2 Extinguishing Methods: Foam, CO₂, Water Fog or Dry Chemical Firefighting Procedures: Fight fires as for surrounding materials. Firefighters should wear a MSHA/NIOSH approved or equivalent self contained breathing apparatus (SCBA) and protective clothing. Fire should be fought from a safe distance. Keep containers cool until well after the fire is out. Cool containers with water spray to prevent pressure build-up, auto-ignition or explosion. Prevent runoff from fire control or dilution from entering sewers, drains, drinking water supply, or any natural waterway. 6. ACCIDENTAL RELEASE MEASURES Spills Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment. CAUTION - may be slippery if spilled. For small spills (e.g., < 1 gallon (3.8 L)) wear appropriate personal protective equipment (e.g., goggles, gloves). Maximize ventilation (open doors and windows. Remove spilled material with absorbent material and place into appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state and federal regulations. Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contaminated clothing and wash thoroughly before reuse. For <u>large spills</u> (e.g., ≥ 1 gallon (3.8 L)), deny entry to all unprotected individuals. Dike and contain spill with inert material (e.g., sand or earth). Transfer liquid to containers for recovery or disposal and solid diking material to separate containers for proper disposal. Remove contaminated clothing promptly and wash affected skin areas with soap and water. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water. 7. HANDLING & STORAGE INFORMATION Work & Hygiene Practices: Use normal hygiene practices. Avoid direct skin contact. Wash hands thoroughly after using this product and before 7.1 eating, drinking, or smoking. Good personal hygiene practices, such as washing any skin contact areas and removing contaminated clothing, are recommended. 72 Storage & Handling: Keep away from sources of heat. 7.3 Special Precautions: Follow all instructions on product label. Keep container closed when not in use. Keep this and all chemicals out of reach of children. 8. EXPOSURE CONTROLS & PERSONAL PROTECTION ACGIH NOHSC OTHER 8.1 Exposure Limits: OSHA ppm (mg/m³) CHEMICAL NAME(S) TLV STEL ES-TWA **ES-STEL ES-PEAK** PEL STEL NA NA NA NF NF 8.2 Ventilation & Engineering General mechanical (e.g., fans) or natural ventilation is sufficient when this product is in use. Use local or general Controls: exhaust ventilation to effectively remove and prevent buildup of vapors or mist generated from the handling of this product. Ensure that an eyewash station, sink or washbasin is available in case of exposure to eyes. 8.3 Respiratory Protection: Not required under normal conditions of use. 8.4 Eye Protection: Avoid eye contact. Use approved safety glasses or goggles. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 8.5 Hand Protection: If anticipated that prolonged & repeated skin contact will occur during use of this product, wear latex or rubber gloves for routine industrial use. If necessary, refer to U.S. OSHA 29 CFR §1910.138, the appropriate standards of Canada, of the E.C. member states. 8.6 Body Protection: Not required under normal conditions of use. Use appropriate protective equipment (e.g., apron) as necessary to prevent or reduce exposure if frequent or prolonged contact is expected.



13.1

13.2

Waste Disposal:

Special Considerations:

federal laws and regulations

NA

Page 3 of 5 SAFETY DATA SHEET **GG-006** Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision Date: 8/25/2015 9. PHYSICAL & CHEMICAL PROPERTIES Appearance: Clear yellow liquid 92 Odor Fresh lemon citrus scent 9.3 Odor Threshold: NA 9.4 7.0-8.0 9.5 Melting Point/Freezing Point: NA Initial Boiling Point/Boiling 9.6 100 °C (212 °F) @ 760 mm Hg 9.7 Flashpoint: 9.8 Upper/Lower Flammability NA 99 Vapor Pressure: < 30 9.10 Vapor Density: NA 9.11 Relative Density: 1.014 @ 25°C (77°F) 9.12 Solubility: Complete Partition Coefficient (log Pow): 9.13 NA 9.14 Autoignition Temperature NA 9.15 Decomposition Temperature: NA NA 9.17 Other Information: 0% VOC 10. STABILITY & REACTIVITY 10.1 Stability: Stable under normal conditions of use. 10.2 Hazardous Decomposition Oxides of carbon (CO, CO₂) and nitrogen (NO_x)... Products Hazardous Polymerization: 10.3 Will not occur. Conditions to Avoid: 104 Strong oxidizers. Incompatible Substances: 10.5 Strong oxidizing agents, strong acids and bases. 11. TOXICOLOGICAL INFORMATION Ingestion: YES 11.1 Routes of Entry Absorption: NO 11.2 Toxicity Data: This product has not been tested on animals to obtain toxicological data. There are toxicology data for the components of this product, which are found in the scientific literature. These data have not been presented in this document. This product is neither a primary eye nor primary skin irritant per Federal Hazardous Substances Act (FHSA) regulations. 11.3 Acute Toxicity: See section 2.4 11.4 Chronic Toxicity: See section 2.5 11.5 Suspected Carcinogen: No Reproductive Toxicity: 11.6 This product is not reported to produce reproductive toxicity in humans. Mutagenicity: This product is not reported to produce mutagenic effects in humans. Embryotoxicity: This product is not reported to produce embryotoxic effects in humans. Teratogenicity: This product is not reported to produce teratogenic effects in humans. Reproductive Toxicity: This product is not reported to produce reproductive effects in humans. 11.7 Irritancy of Product: See section 2.3 118 Biological Exposure Indices: NE 11.9 Physician Recommendations: Treat symptomatically. 12. ECOLOGICAL INFORMATION 12.1 Environmental Stability: There is no specific data available for this product. Effects on Plants & Animals: There is no specific data available for this product. 12.2 Effects on Aquatic Life: There is no specific data available for this product. 12.3 13. DISPOSAL CONSIDERATIONS

> Review current local, state and federal laws, codes, statutes and regulations to determine current status and appropriate disposal method for the ingredients listed in Section 2. Any disposal practice must be in compliance with local, state, and



SAFETY DATA SHEET

Page 4 of 5 **GG-006**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision Date: 8/25/2015 14. TRANSPORTATION INFORMATION 49 CFR (GND): 14.1 NOT REGULATED 14 2 IATA (AIR): **NOT REGULATED** 14.3 IMDG (OCN): NOT REGULATED 14.4 TDGR (Canadian GND): **NOT REGULATED** 14.5 ADR/RID (EU): NOT REGULATED SCT (MEXICO): 14.6 NOT REGULATED ADGR (AUS): **NOT REGULATED** 15. REGULATORY INFORMATION SARA Reporting 15.1 This product does not contain any substances subject to SARA Title III, section 313 reporting requirements. Requirements: SARA Threshold Planning 15.2 There are no specific Threshold Planning Quantities for the components of this product. Quantity: 15.3 TSCA Inventory Status: The components of this product are listed on the TSCA Inventory. 15.4 **CERCLA Reportable Quantity** (RQ): 15.5 Other Federal Requirements: This material does not contain any hazardous air pollutants. None of the components in this product are listed as priority pollutants under the CWA. None of the components in this product are listed as toxic pollutants under the CWA. 15.6 Other Canadian Regulations: This product has been classified according to the hazard criteria of the CPR and the SDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List. 15.7 State Regulatory Information: No ingredients in this product present in a concentration of 1.0% or greater, are listed on any of the following state criteria lists: California Proposition 65 (CA65), Delaware Air Quality Management List (DE), Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (MI), Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), New York Hazardous Substances List (NY), Pennsylvania Right-to-Know List (PA), Washington Permissible Exposures List (WA), Wisconsin Hazardous Substances List (WI). Other Requirements: The primary components of this product are not listed in Annex I of EU Directive 67/548/EEC: Risk Phrases (R): 22-36/38 - Harmful if swallowed. Irritating to eyes and skin. Safety Phrases (S): 1/2 -24/25-45 - Keep container locked up and out of reach of children. Avoid contact with skin and eyes. In case of accident or if you feel unwell seek medical advice immediately (show label where possible). Poisons Schedule Number: None Allocated. HazChem Code: None. 16. OTHER INFORMATION WARNING! CAUSES SKIN IRRITATION. CAUSES SERIOUS EYE DAMAGE. HARMFUL TO AQUATIC LIFE WITH Other Information: LONG LASTING EFFECTS. CAUTION - MAY BE SLIPPERY IF SPILLED. Wash exposed skin areas thoroughly with soap and water after handling. Avoid eye contact. Wear protective gloves/eye protection/face protection. IF ON SKIN: Wash with soap and water. IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing. If skin irritation or a rash occurs - Get medical advice/attention. Store in a well-ventilated place. Keep cool. Use only as directed. KEEP OUT OF REACH OF CHILDREN Terms & Definitions: 16.2 See last page of this Safety Data Sheet. 16.3 Disclaimer: This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & Granite Gold's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness is not guaranteed and no warranties of any type, either expressed or implied, are provided. information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest 16 4 Prepared for: Granite Gold, Inc. 9170 Chesapeake Drive San Diego, CA 92123 USA Tel: +1 (858) 499-8933 http://www.granitegold.com/ 16.5 Prepared by: ShipMate, Inc. P.O. Box 787 Sisters, Oregon 97759-0787 USA Tel: +1 (310) 370-3600 Fax: +1 (310) 370-5700 http://www.shipmate.com



SAFETY DATA SHEET

Page 5 of 5 **GG-006**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision Date: 8/25/2015

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

CAS No.	Chemical Abstract Service Number
CAS NO.	Chemical Abstract Service Number

EXPOSURE LIMITS IN AIR:

ACGIH	American Conference on Governmental Industrial Hygienists	
C Ceiling Limit		
IDLH	IDLH Immediately Dangerous to Life and Health	
OSHA	U.S. Occupational Safety and Health Administration	
PEL Permissible Exposure Limit		
TLV	Threshold Limit Value	

FIRST AID MEASURES:

CPR	Cardiopulmonary resuscitation - method in which a person whose heart has
	stopped receives manual chest compressions and breathing to circulate blood
	and provide oxygen to the body

HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS


HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard

HEALTH FLAMMABILITY PHYSICAL HAZARDS PERSONAL PROTECTION

PERSONAL PROTECTION RATINGS:

Α			
В	(A)		
С	(ELV)	The state of the s	
D	(A)	T.	
Ε	(A)		
F	(ELV)	The state of the s	





Splash Goggles



Full Face Respirator

Synthetic Apron



Dust & Vapor Half-Mask Respirator







Dust Respirator

Airline Hood/Mask or SCBA

OTHER STANDARD ABBREVIATIONS:


ML	Maximum Limit
NA	Not Available
NE	Not Established
NF	Not Found
ND	Not Determined
NR	No Results
SCBA	Self-Contained Breathing Apparatus

NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILITY LIMITS IN AIR:					
Autoignition Temperature Minimum temperature required to initiate combustion in air with no other source of ignition					
LEL Lower Explosive Limit - lowest percent of vapor in air, by volume, the explode or ignite in the presence of an ignition source					
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source				

HAZARD RATINGS:

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard
ACD	Acidic
ALK	Alkaline
COR	Corrosive
₩	Use No Water
ОХ	Oxidizer
TREFOIL	Radioactive
	·



TOXICOLOGICAL INFORMATION:

С	Ceiling Limit
LD ₅₀	Lethal Dose (solids & liquids) which kills 50% of the exposed animals s
LC ₅₀	Lethal concentration (gases) which kills 50% of the exposed animal
ppm	Concentration expressed in parts of material per million parts
TDio	Lowest dose to cause a symptom
TCLo	Lowest concentration to cause a symptom
TD _{io} , LD _{io} , & LD _o or	Lowest dose (or concentration) to cause lethal or toxic effects
TC, TC _o , LC _{io} , & LC _o	
IARC	International Agency for Research on Cancer
NTP	National Toxicology Program
RTECS	Registry of Toxic Effects of Chemical Substances
BCF	Bioconcentration Factor
TL _m	Median threshold limit
log Kow or log Koc	Coefficient of Oil/Water Distribution

REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System					
DOT	U.S. Department of Transportation					
TC	Transport Canada					
EPA	A U.S. Environmental Protection Agency					
DSL	Canadian Domestic Substance List					
NDSL	Canadian Non-Domestic Substance List					
PSL	PSL Canadian Priority Substances List					
TSCA	TSCA U.S. Toxic Substance Control Act					
EU	EU European Union (European Union Directive 67/548/EEC)					
WGK	Wassergefährdungsklassen (German Water Hazard Class)					

WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

0	(*)	(A)	@	\odot	®		m
Class A	Class B	Class C	Class D1	Class D2	Class D3	Class E	Class F
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive

EC (67/548/EEC) INFORMATION:

I.			Y		® X	×	×
С	E	F	N	0	Т	Xi	Xn
Corrosive	Explosive	Flammable	Harmful	Oxidizing	Toxic	Irritant	Harmful

CLP/GHS (1272/2008/EC) PICTOGRAMS:

		(10)	\Diamond	A PARTIES AND A		♦		*
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment