

# EWD-320 & EWD-315

*Delivering Quality  
and Value*



---

## **IDEAL APPLICATIONS INCLUDE:**

- Educational Institutions
  - Government Facilities
  - Healthcare
  - Building Service Contractors
  - Industrial and Factory Setting
  - Hospitality and Gaming
  - Retail
- 

*Wet/Dry Vacuums*

**Euroclean**

## Powerful Performance - Lasting Value



Euroclean wet dry vacuums are intended to be used day in and day out in heavy duty commercial, industrial and floor maintenance applications.

The 20 gallon and 15 gallon machines have the same compact footprint to reduce storage space. Rubberized non-marking wheels are quiet on hard floor surfaces and the large rear wheels make moving the machine up and down stairs a breeze. Both units have a rear drain hose for easy disposal of liquids in a sink or floor drain.

The EWD vacuums have versatile dry filtration options. A washable cloth filter basket comes standard and can be used alone to collect a large volume of dry debris directly

into the tank. The optional paper dust bag makes disposal easier and neater. The optional cartridge filter can be added for even higher filtration and then the filter basket acts as a pre-filter, catching the larger debris and maximizing the life of the cartridge filter. The ultimate in filtration is realized with the addition of the H.E.P.A. protection ring and true H.E.P.A. filter. These parts work synergistically to capture 99.97% of particles that are 0.3 microns and larger.

*Two piece, light weight aluminum wand*

*50 foot grounded safety yellow power cord*

*Easy to lift with side handle*



*Quiet, Clean Operation*



*Rear drain hose to empty liquids from tank*

*Versatile filtration with up to five levels using basket filter, optional dust bags, cartridge filter and H.E.P.A. filter*

*Field proven locking vacuum interface*

*Rugged blow molded tank will provide years of service*



**Unique modular three piece floor tool set with squeegee tool, hard and soft floor tools**



**Optional front mount squeegee for high productivity**



**Cyclonic inlet helps knock down foam**

**Simple Cleaning Solutions**

# EWD-320 and EWD-315

## TOOLS & ACCESSORIES

Item	Part #
24 inch front mount squeegee kit, includes 24 inch squeegee assembly and mounting hardware	56 600 458
30 inch front mount squeegee kit, includes 30 inch squeegee assembly and mounting hardware	56 600 459
24 inch front mount squeegee replacement blades, blue, 1 each	56 105 533
30 inch front mount squeegee replacement blades, blue, 1 each	56 105 509
Dust Bags, pack of 3 each	147 0746 010
Upholstery Tool	010 7964 020
Crevice Tool	010 8738 020
H.E.P.A. Protection Ring Installation and use required for H.E.P.A. filtration	147 0766 500
H.E.P.A. Filter, replacement filter, must be used with 147 0766 500	140 678 500
Cartridge Filter, 1 each	140 8686 500

## TECHNICAL SPECIFICATIONS

	EWD-320	EWD-315
Tank Capacity	20 gal (75.7 L)	15 gal (56.7 L)
Nominal Voltage	120 VAC/60 Hz	120 VAC/60Hz
Vacuum Motor	1,350 W	1,350 W
Current Draw	11.2 Amps	11.2 Amps
Maximum Waterlift	95 in (241 cm)	95 in (241 cm)
Maximum Airflow	130 C.F.M. (61.3 L/s)	130 C.F.M. (61.3 L/s)
Sound Level	68 dB	68 dB
Washable Water Basket	225 sq in (0.15 m)	225 sq in (0.15 m)
Power Cord	50 ft (15 m)	50 ft (15 m)
Dimensions (HxWxD)	35 in x 17 in x 19 in (89 cm x 43 cm x 48 cm)	30.5 in x 17 in x 19 in (77 cm x 43 cm x 48 cm)
Weight with Cord and Tools	45 lb (20.4 kg)	42 lb (19 kg)
Part Numbers	905 8912 010	905 8911 010

Specifications can change without notice



- Euroclean products are necessary cleaning equipment used for everyday cleaning applications.
- You can get expert service and maintenance for your products by factory trained personnel around the world, as well as fast parts delivery.
- Maintain peak performance with Nilfisk Genuine OEM Parts.

Nilfisk Genuine OEM Parts

## Euroclean

14600 21st Avenue North  
Plymouth, MN 55447-3408  
www.kenteuroclean.com  
Phone: 800-545-4372  
Fax: 866-261-4779

396 Watline Avenue  
Mississauga, Ontario, Canada L4Z 1X2  
www.kenteuroclean.com  
Phone: 800-668-8400 or 905-712-3260  
Fax: 800-263-5111 or 905-712-3255

