

Safety Data Sheet

**Commercial Products** 

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 03/25/2015 Revision date: 10/01/2019 Version: 2.0

SECTION 1: Identification	
1.1. Identification	
Product name	: LINEN FRESH MB9000
Product code	: 1788363
SKU #	: FG4012441
1.2. Recommended use and restrictions	on use
Use of the substance/mixture	: Aerosol For professional use only Air care products Odour agents
Recommended use	: Air care products,Odour agents
Restrictions on use	: Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
1.3. Supplier	

#### - -.faat

Manufacturer Rubbermaid Commercial Products LLC 3124 Valley Avenue Winchester, VA 22601-2694 - USA T 1.800.347.9800 www.rubbermaidcommercial.com		<b>Other</b> Rubbermaid Commercial Products LLC 20 Hereford Street Brampton, ON L6Y 0M1 - Canada T 1.800.998.7004
1.4. Emergency telephone number		
Emergeney number	· 24 Hour Emorgonou	NECTRAC: 1 900 E2E E0E2 (Domostic)

#### Emergency number

: 24-Hour Emergency - INFOTRAC: 1-800-535-5053 (Domestic) | 1-352-323-3500 (International)

SECTION 2: Hazard(s) identification			
2.1. Classification of the	he substance or mixture		
GHS-US classification			
Flammable aerosols, Category 1	H222	Extremely flammable aerosol.	
Gases under pressure : Compressed gas	H280	Contains gas under pressure; may explode if heated.	
Skin corrosion/irritation, Category 2	H315	Causes skin irritation.	
Serious eye damage/eye irritation, Category 2A	H319	Causes serious eye irritation.	
Skin sensitisation, Category	H317	May cause an allergic skin reaction.	
Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation	H335	May cause respiratory irritation.	

Full text of H statements : see section 16


#### GHS Label elements, including precautionary statements 2.2.

**GHS US labelling** 

Hazard pictograms (GHS US)

Signal word (GHS US) Hazard statements (GHS US)

Precautionary statements (GHS US)



- H280 Contains gas under pressure; may explode if heated.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H335 May cause respiratory irritation.
- : P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

:

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P211 - Do not spray on an open flame or other ignition source. P251 - Do not pierce or burn, even after use. P261 - Avoid breathing vapours, spray, mist. P264 - Wash hands thoroughly after handling. P280 - Wear protective gloves. P302+P352 - If on skin: Wash with plenty of water. P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P333+P313 - If skin irritation or rash occurs: Get medical advice/attention. P337+P313 - If eye irritation persists: Get medical advice/attention. P363 - Wash contaminated clothing before reuse. P403+P233 - Store in a well-ventilated place. Keep container tightly closed. P410+P403 - Protect from sunlight. Store in a well-ventilated place. P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

2.3. Other hazards which do not result in classification

### No additional information available

Unknown acute toxicity (GHS US) 2.4.

### Not applicable

### **SECTION 3: Composition/information on ingredients**

#### 3.1. **Substances**

#### Not applicable

#### 3.2. **Mixtures**

Name	Product identifier	%	GHS-US classification
Alcohol	(CAS-No.) 64-17-5	20 – 50	Flam. Liq. 2, H225 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335
HEXYLENE GLYCOL	(CAS-No.) 107-41-5	10 – 20	Skin Irrit. 2, H315 Eye Irrit. 2A, H319
2,6-DIMETHYL-7-OCTEN-2-OL	(CAS-No.) 18479-58-8	1 – 10	Eye Irrit. 2A, H319
ACETYL CEDRENE	(CAS-No.) 32388-55-9	1 – 10	Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
BENZYL SALICYLATE	(CAS-No.) 118-58-1	0.1 – 1	Skin Sens. 1, H317
hexyl 2-hydroxybenzoate	(CAS-No.) 6259-76-3	0.1 – 1	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
LIMONENE	(CAS-No.) 5989-27-5	0.1 – 1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
3-Methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one	(CAS-No.) 127-51-5	0.1 – 1	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1, H317 Aquatic Chronic 2, H411
CITRONELLOL	(CAS-No.) 106-22-9	0.1 – 1	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 2, H411

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	<ul> <li>Cough. Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.</li> </ul>
First-aid measures after skin contact	: Wash with plenty of water/ Wash contaminated clothing before reuse. Get medical advice if skin irritation persists.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Direct contact with the eyes is likely to be irritating. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
06/15/2020	EN (English) 2/10

## Safety Data Sheet

First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.
I.2. Most important symptoms and effe	ects (acute and delayed)
Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.
Symptoms/effects after inhalation	: Shortness of breath. May cause an allergic skin reaction. May cause respiratory irritation.
Symptoms/effects after skin contact	: Causes skin irritation.
Symptoms/effects after eye contact	: Causes serious eye irritation.
I.3. Immediate medical attention and s	pecial treatment, if necessary
No additional information available	
SECTION 5: Fire-fighting measures	
5.1. Suitable (and unsuitable) extinguis	
Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Insuitable extinguishing media	: Do not use a heavy water stream.
5.2. Specific hazards arising from the c	hemical
Fire hazard	: Extremely flammable aerosol.
Explosion hazard	: May form flammable/explosive vapour-air mixture. Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries.
Reactivity	: Stable under normal conditions of use.
5.3. Special protective equipment and protecti	precautions for fire-fighters
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment. DO NOT fight fire when fire reaches explosives. Evacuate area.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
SECTION 6: Accidental release mea	asures
	quipment and emergency procedures
General measures	: No open flames. No smoking. Isolate from fire, if possible, without unnecessary risk. Remove ignition sources. Use special care to avoid static electric charges.
6.1.1. For non-emergency personnel	
Emergency procedures	: Evacuate unnecessary personnel.
6.1.2. For emergency responders	

soon as possible. Collect spillage. Store away from other materials.

Methods and material for containment and cleaning up

### 6.4. Reference to other sections

**Environmental precautions** 

Emergency procedures

Methods for cleaning up

6.2.

6.3.

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed	: Handle empty containers with care because residual vapours are flammable. Hazardous waste due to potential risk of explosion. Do not pierce or burn, even after use.
Precautions for safe handling	Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Do not spray on an open flame or other ignition source.
Hygiene measures	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.

: Ventilate spillage area. Soak up spills with inert solids, such as clay or diatomaceous earth as

: Ventilate area.

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

7.2. Conditions for safe storage, includ	ing any incompatibilities
Technical measures	: Comply with applicable regulations. Proper grounding procedures to avoid static electricity should be followed.
Storage conditions	: Keep only in the original container in a cool, well ventilated place away from : Direct sunlight, Heat sources, Ignition sources. Do not expose to temperatures exceeding 50 °C/ 122 °F.
Incompatible products	: Strong bases. Strong acids.
Incompatible materials	: Sources of ignition. Direct sunlight. Heat sources.

# SECTION 8: Exposure controls/personal protection

8.1. Control parameters			
LIMONENE (5989-27-5)			
Not applicable			
CITRONELLOL (106-2	22-9)		
DNEL	DNEL	10 mg/m <sup>3</sup>	
BENZYL SALICYLAT	E (118-58-1)		
Not applicable			
	ethyl-2-cyclohexen-1-yl)-3-buten-2-one (127-51-5)		
Not applicable			
Alcohol (64-17-5)			
DNEL	DNEL	950 mg/m <sup>3</sup>	
ACGIH	Local name	Ethanol	
ACGIH	ACGIH STEL (ppm)	1000 ppm	
ACGIH	Remark (ACGIH)	TLV® Basis: URT irr. Notations: A3 (Confirmed Animal Carcinogen with Unknown Relevance to Humans)	
ACGIH	Regulatory reference	ACGIH 2019	
OSHA	OSHA PEL (TWA) (mg/m <sup>3</sup> )	1900 mg/m³	
OSHA	OSHA PEL (TWA) (ppm)	1000 ppm	
OSHA	Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1	
HEXYLENE GLYCOL	(107-41-5)		
DNEL	DNEL	14 mg/m <sup>3</sup>	
ACGIH	Local name	Hexylene glycol	
ACGIH	ACGIH TWA (ppm)	25 ppm (V - Vapor fraction)	
ACGIH	ACGIH STEL (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup> (I - Inhalable particulate matter, H - Aerosol only)	
ACGIH	ACGIH STEL (ppm)	50 ppm (V - Vapor fraction)	
ACGIH	Remark (ACGIH)	TLV® Basis: Eye & URT irr	
ACGIH	Regulatory reference	ACGIH 2019	
2,6-DIMETHYL-7-OCTEN-2-OL (18479-58-8)			
Not applicable			
ACETYL CEDRENE (32388-55-9)			
Not applicable			
hexyl 2-hydroxybenzoate (6259-76-3)			
Not applicable			

### 8.2. Appropriate engineering controls

Appropriate engineering controls

: Provide local exhaust or general room ventilation to minimize mist and/or vapour concentrations.

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

8.3. Individual protection measures/Personal protective equipment

### Personal protective equipment:

Avoid all unnecessary exposure.

### Hand protection:

Wear protective gloves.

### Eye protection:

None under normal use

### Respiratory protection:

None under normal use

#### Other information:

Do not eat, drink or smoke during use.

<b>SECTION 9: Physical and chemical</b>	nroperties	
9.1. Information on basic physical and chemical properties		
Physical state	: Liquid	
Appearance	: Transparent. clear.	
	colourless to slightly yellow	
	: characteristic	
Odour threshold	: No data available	
рН	: No data available	
Melting point	: No data available	
Freezing point	: No data available	
Boiling point	: No data available	
Flash point	: No data available	
Relative evaporation rate (butylacetate=1)	: No data available	
Flammability (solid, gas)	: Extremely flammable aerosol.	
Vapour pressure	: 4.5 – 4.5 bar	
Relative vapour density at 20 °C	: No data available	
Relative density	: 0.7	
Solubility	: No data available	
Partition coefficient n-octanol/water (Log Pow)	: No data available	
Auto-ignition temperature	: No data available	
Decomposition temperature	: No data available	
Viscosity, kinematic	: No data available	
Viscosity, dynamic	: No data available	
Explosive limits	: 1.8 – 19 vol %	
Explosive properties	: No data available	
Oxidising properties	: No data available	
9.2. Other information		

No additional information available

SECTION 10: Stability and reactivity			
10.1.	Reactivity		

Stable under normal conditions of use.

#### 10.2. Chemical stability

Extremely flammable aerosol. Contains gas under pressure; may explode if heated. Extreme risk of explosion by shock, friction, fire or other sources of ignition.

### 10.3. Possibility of hazardous reactions

Not established.

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Heat. Sparks. Open flame. Overheating.

### 10.5. Incompatible materials

Oxidizing agent. Strong acids. Strong bases.

### 10.6. Hazardous decomposition products

May release flammable gases. fume. Carbon monoxide. Carbon dioxide.

# **SECTION 11: Toxicological information**

11.1. Information on toxicological effects

Acute toxicity

: Not classified

Alcohol (64-17-5)	
LD50 oral rat	7060 mg/kg
LD50 dermal rabbit	> 16000 mg/kg
LC50 inhalation rat (mg/l)	> 20 mg/l/4h
ATE US (oral)	7060 mg/kg bodyweight
ACETYL CEDRENE (32388-55-9)	
LD50 oral rat	≈ 5200 mg/kg
LD50 dermal rabbit	≈ 500 mg/kg
hexyl 2-hydroxybenzoate (6259-76-3)	
LD50 oral rat	> 5000 mg/kg
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
	Based on available data, the classification criteria are not met
Carcinogenicity	: Not classified
LIMONENE (5989-27-5)	
IARC group	3 - Not classifiable
Reproductive toxicity	: Not classified
	Based on available data, the classification criteria are not met
STOT-single exposure	: May cause respiratory irritation.
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.
Symptoms/effects after inhalation	: Shortness of breath. May cause an allergic skin reaction. May cause respiratory irritation.
Symptoms/effects after skin contact	: Causes skin irritation.
Symptoms/effects after eye contact	: Causes serious eye irritation.

<b>SECTION 12: Ecological informa</b>	ion	
12.1. Toxicity		
CITRONELLOL (106-22-9)		
LC50 fish 1	10 mg/l	
EC50 other aquatic organisms 1	17.48 mg/l waterflea	
EC50 other aquatic organisms 2	2.38 mg/l	

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Alcohol (64-17-5)			
LC50 fish 1	13000 mg/l		
EC50 Daphnia 1	9300 mg/l		
EC50 other aquatic organisms 1	5012 mg/l waterflea		
EC50 other aquatic organisms 2	275 mg/l		
HEXYLENE GLYCOL (107-41-5)			
LC50 fish 1	8690 mg/l		
550 other aquatic organisms 1 5410 mg/l waterflea			
EC50 other aquatic organisms 2	> 429 mg/l		
12.2. Persistence and degradability			
LINEN FRESH MB9000			
Persistence and degradability	Not established.		
Alcohol (64-17-5)			
Persistence and degradability	Not established.		
12.3. Bioaccumulative potential			
LINEN FRESH MB9000			
Bioaccumulative potential	Not established.		
CITRONELLOL (106-22-9)			
Partition coefficient n-octanol/water (Log Pow) 3.1			
Alcohol (64-17-5)			
Partition coefficient n-octanol/water (Log Pow)     -0.32       Bioaccumulative potential     Not established.			
HEXYLENE GLYCOL (107-41-5)			
Partition coefficient n-octanol/water (Log Pow)	-0.1		

### 12.4. Mobility in soil

No additional information available

12.5.	Other adverse effects	
Effect or	n the ozone layer	: None to our knowledge
Effect or	n global warming	No known effects from this product.

Other information

: Avoid release to the environment.

SECTION 13: Disposal considerations			
13.1. Disposal methods			
Product/Packaging disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations. Container under pressure. Do not drill or burn even after use.		
Additional information	: Handle empty containers with care because residual vapours are flammable. Flammable vapours may accumulate in the container.		
Ecology - waste materials	: Avoid release to the environment.		

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### **SECTION 14: Transport information**

Department of Transportation (DOT)
------------------------------------

In accordance with DOT

Transport document description	: UN1950 Aerosols, 2.1
UN-No.(DOT)	: UN1950
Proper Shipping Name (DOT)	: Aerosols
Class (DOT)	: 2.1 - Class 2.1 - Flam
Hazard labels (DOT)	: 2.1 - Flammable gas

- 50 Aerosols, 2.1
- 50
- sols
  - Class 2.1 Flammable gas 49 CFR 173.115



		•
DOT Packaging Non Bulk (49 CFR 173.xxx)	:	None
DOT Packaging Bulk (49 CFR 173.xxx)	:	None
DOT Special Provisions (49 CFR 172.102)	:	N82 - See 173.306 of this subchapter for classification criteria for flammable aerosols.
DOT Packaging Exceptions (49 CFR 173.xxx)	:	306
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	:	75 kg
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	:	150 kg
DOT Vessel Stowage Location	:	A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
DOT Vessel Stowage Other	:	48 - Stow "away from" sources of heat,87 - Stow "separated from" Class 1 (explosives) except Division 14,126 - Segregation same as for Class 9, miscellaneous hazardous materials
Other information	:	No supplementary information available.
Transportation of Dangerous Goods		
Not applicable		
Transport by sea		
Transport document description (IMDG)	:	UN 1950 AEROSOLS, 2.1
UN-No. (IMDG)	:	1950
Proper Shipping Name (IMDG)	:	AEROSOLS
Class (IMDG)	:	2 - Gases
Limited quantities (IMDG)	:	SP277
Air transport		
Transport document description (IATA)	:	UN 1950 Aerosols, flammable, 2.1
UN-No. (IATA)	:	1950
Proper Shipping Name (IATA)	:	Aerosols, flammable
Class (IATA)	:	2

SECTION 15: Regulatory information	
15.1. US Federal regulations	
LIMONENE (5989-27-5)	

Listed on the United States TSCA (Toxic Substances Control Act) inventory			
CITRONELLOL (106-22-9)			
Listed on the United States TSCA (Toxic Substances Control Act) inventory			
BENZYL SALICYLATE (118-58-1)			
Listed on the United States TSCA (Toxic Substances Control Act) inventory			

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

3-Methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one (127-51-5)				
Listed on the United States TSCA (Toxic Substances Control Act) inventory				
Alcohol (64-17-5)				
Listed on the United States TSCA (Toxic Substances Control Act) inventory				
HEXYLENE GLYCOL (107-41-5)				
Listed on the United States TSCA (Toxic Substances Control Act) inventory				
2,6-DIMETHYL-7-OCTEN-2-OL (18479-58-8)				
Listed on the United States TSCA (Toxic Substances Control Act) inventory				
ACETYL CEDRENE (32388-55-9)				
Listed on the United States TSCA (Toxic Substances Control Act) inventory				
hexyl 2-hydroxybenzoate (6259-76-3)				
Listed on the United States TSCA (Toxic Substances Control Act) inventory				

15.2. International regulations				
CANADA				
LIMONENE (5989-27-5)				
Listed on the Canadian DSL (Domestic Substances List)				
CITRONELLOL (106-22-9)				
Listed on the Canadian DSL (Domestic Substances List)				
BENZYL SALICYLATE (118-58-1)				
Listed on the Canadian DSL (Domestic Substances List)				
3-Methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one (127-51-5)				
Listed on the Canadian DSL (Domestic Substances List)				
Alcohol (64-17-5)				
Listed on the Canadian DSL (Domestic Substances List)				
HEXYLENE GLYCOL (107-41-5)				
Listed on the Canadian DSL (Domestic Substances List)				
2,6-DIMETHYL-7-OCTEN-2-OL (18479-58-8)				
Listed on the Canadian DSL (Domestic Substances List)				
ACETYL CEDRENE (32388-55-9)				
Listed on the Canadian DSL (Domestic Substances List)				
hexyl 2-hydroxybenzoate (6259-76-3)				
Listed on the Canadian DSL (Domestic Substances List)				

### **EU-Regulations**

No additional information available

### **National regulations**

Alcohol (64-17-5)
Listed on IARC (International Agency for Research on Cancer)

### 15.3. US State regulations

### Alcohol (64-17-5)

U.S. - Pennsylvania - RTK (Right to Know) List

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### HEXYLENE GLYCOL (107-41-5)

U.S. - Pennsylvania - RTK (Right to Know) List

SECTION 16: Other information	
Revision date	: 10/01/2019
Other information	: REACH Disclaimer: This information is based on current knowledge. Consistency of data in the SDS with CSR is considered, as far as the information is available at the time of compilation (cfr Revision date and Version number). DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable. None.

#### Full text of H-statements:

H222	Extremely flammable aerosol.	
H225	Highly flammable liquid and vapour.	
H226	Flammable liquid and vapour.	
H280	Contains gas under pressure; may explode if heated.	
H304	May be fatal if swallowed and enters airways.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H319	Causes serious eye irritation.	
H335	May cause respiratory irritation.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	

### Indication of changes:

Section	Changed item	Change	Comments
	Revision date	Added	
	Hazard pictograms (GHS US)	Modified	
	Precautionary statements (GHS US)	Modified	
	Hazard statements (GHS US)	Modified	
2.1	GHS-US classification	Modified	

SDS\_US\_GHS\_HazCom\_2012 Newell nieuw

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.