according to Hazard Communication Standard; 29 CFR 1910.1200



# SC JOHNSON PROFESSIONAL™ GLADE® AEROSOL (HAWAIIAN BREEZE™)

Version 2.2 Print Date 01/10/2017

Revision Date 10/19/2016 SDS Number 350000004593 GEN SOF Number 59170

#### 1. PRODUCT AND COMPANY IDENTIFICATION

**Product information** 

Product name : SC JOHNSON PROFESSIONAL™ GLADE® AEROSOL

(HAWAIIAN BREEZE™)

**Recommended use** : Air Freshener

**Manufacturer, importer,** : S.C. Johnson & Son, Inc.

**supplier** 1525 Howe Street

Racine WI 53403-2236

Telephone :

**Emergency telephone**: 24 Hour Medical Emergency Phone: (866)231-5406

**number** 24 Hour International Emergency Phone: (703)527-3887 24 Hour Transport Emergency Phone: (800)424-9300

### 2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

Globally Harmonized System (GHS) Classification

	(O.10) O.acocac	
Hazard classification	Hazard category	Hazards identification
Aerosol	Category 2	Flammable aerosol.
Gases under pressure	Liquefied gas	Contains gas under pressure; may explode if heated.

#### Labelling

**Hazard symbols** 

Flame Gas cylinder

Signal word

Warning

**Hazard statements** 

Flammable aerosol.

Contains gas under pressure; may explode if heated.

UnoClean.com (224) 654-6500

according to Hazard Communication Standard; 29 CFR 1910.1200



# SC JOHNSON PROFESSIONAL™ GLADE® AEROSOL (HAWAIIAN BREEZE™)

Version 2.2 Print Date 01/10/2017

Revision Date 10/19/2016 SDS Number 350000004593 GEN SOF Number 59170

#### **Precautionary statements**

Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.

Protect from sunlight. Store in a well-ventilated place.

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

Do not spray on an open flame or other ignition source.

Do not pierce or burn, even after use.

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No.	Weight percent
Isobutane	75-28-5	10.00 - 30.00
Propane	74-98-6	5.00 - 10.00

The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

For additional information on product ingredients, see www.whatsinsidescjohnson.com.

#### 4. FIRST AID MEASURES

**Eye contact** : No special requirements

**Skin contact** : No special requirements

**Inhalation** : No special requirements.

**Ingestion** : No special requirements

## **5. FIREFIGHTING MEASURES**

Suitable extinguishing

media

: Use water spray, alcohol-resistant foam, dry chemical or

carbon dioxide.

Specific hazards during

firefighting

: Aerosol Product - Containers may rocket or explode in heat of

fire.

according to Hazard Communication Standard; 29 CFR 1910.1200



# SC JOHNSON PROFESSIONAL™ GLADE® AEROSOL (HAWAIIAN BREEZE™)

Version 2.2 Print Date 01/10/2017

Revision Date 10/19/2016 SDS Number 350000004593 GEN SOF Number 59170

Further information : Fight fire from maximum distance or protected area. Cool and

use caution when approaching or handling fire-exposed containers. Wear full protective clothing and positive pressure self-contained breathing apparatus. In case of fire and/or

explosion do not breathe fumes.

#### 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions** : Remove all sources of ignition.

Wash thoroughly after handling.

Environmental precautions

: Outside of normal use, avoid release to the environment.

Methods and materials for containment and

cleaning up

: If damage occurs to aerosol can:

Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local /

national regulations (see section 13). Use only non-sparking equipment.

Dike large spills.

Clean residue from spill site.

#### 7. HANDLING AND STORAGE

Handling

Precautions for safe

handling

: Avoid contact with skin, eyes and clothing. For personal protection see section 8.

Note: Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal. For more

information visit www.inhalant.org.

Use only as directed.

KEEP OUT OF REACH OF CHILDREN AND PETS.

Pressurized container.

Do not pierce or burn, even after use.

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking.

Do not spray on an open flame or other ignition source.

according to Hazard Communication Standard; 29 CFR 1910.1200



# SC JOHNSON PROFESSIONAL™ GLADE® AEROSOL (HAWAIIAN BREEZE™)

Version 2.2 Print Date 01/10/2017

Revision Date 10/19/2016 SDS Number 350000004593 GEN\_SOF Number 59170

Storage

areas and containers

Requirements for storage : Protect from sunlight. Do not expose to temperatures

exceeding 50 °C/ 122 °F.

Keep in a dry, cool and well-ventilated place.

Protect from sunlight.

Store in a well-ventilated place.

Other data : Stable under normal conditions.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Occupational Exposure Limits**

Components	CAS-No.	mg/m3	ppm	Non- standard units	Basis
Isobutane	75-28-5		1,000 ppm	-	ACGIH STEL
Propane	74-98-6	1,800 mg/m3	1,000 ppm	-	OSHA TWA
Propane	74-98-6	-	-	-	ACGIH TWA

Personal protective equipment

Respiratory protection : No special requirements.

Hand protection No special requirements.

Eye protection No special requirements.

Skin and body protection : No special requirements.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice. Wash thoroughly after handling.

according to Hazard Communication Standard; 29 CFR 1910.1200



# SC JOHNSON PROFESSIONAL™ GLADE® AEROSOL (HAWAIIAN BREEZE™)

Version 2.2 Print Date 01/10/2017

Revision Date 10/19/2016 SDS Number 350000004593 GEN\_SOF Number 59170

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Form : aerosol

Color clear

Odor Fruity

**Odour Threshold** : Test not applicable for this product type

pН : 8.5

**Melting point/freezing point**: Test not applicable for this product type

Initial boiling point and

boiling range

: Test not applicable for this product type

Flash point : < -6.8 °C

> < 19.76 °F Propellant > 79 °C > 174.2 °F liquid

**Evaporation rate** : Test not applicable for this product type

Flammability (solid, gas) : Sustains combustion

explosive limits

**Upper/lower flammability or** : Test not applicable for this product type

Vapour pressure : Test not applicable for this product type

according to Hazard Communication Standard; 29 CFR 1910.1200



# SC JOHNSON PROFESSIONAL™ GLADE® AEROSOL (HAWAIIAN BREEZE™)

Version 2.2 Print Date 01/10/2017

Revision Date 10/19/2016 SDS Number 350000004593 GEN\_SOF Number 59170

Vapour density : Test not applicable for this product type

Relative density : 0.86 g/cm3 at 24 °C

Solubility(ies) : partly miscible

Partition coefficient: n-

octanol/water

: Test not applicable for this product type

No data available

**Auto-ignition temperature** : Test not applicable for this product type

**Decomposition temperature** : Test not applicable for this product type

Viscosity, dynamic : Test not applicable for this product type

Viscosity, kinematic : Test not applicable for this product type

Oxidizing properties : No data available

Volatile Organic Compounds Total VOC (wt. %)\* : 19.6 % - additional exemptions may apply

\*as defined by US Federal and State Consumer Product

Regulations

Other information : None identified :

#### **10. STABILITY AND REACTIVITY**

Possibility of hazardous

reactions

: Stable under recommended storage conditions.

according to Hazard Communication Standard; 29 CFR 1910.1200



# SC JOHNSON PROFESSIONAL™ GLADE® AEROSOL (HAWAIIAN BREEZE™)

Version 2.2 Print Date 01/10/2017

Revision Date 10/19/2016 SDS Number 350000004593 GEN\_SOF Number 59170

Possibility of hazardous

reactions

: If accidental mixing occurs and toxic gas is formed, exit area

immediately. Do not return until well ventilated.

**Conditions to avoid** : Heat, flames and sparks.

**Incompatible materials** : Strong oxidizing agents

Do not mix with bleach or any other household cleaners.

Strong bases

Hazardous decomposition

products

: Thermal decomposition can lead to release of irritating gases

and vapours.

#### 11. TOXICOLOGICAL INFORMATION

**Emergency Overview** : Warning

Acute oral toxicity : LD50 > 5000 mg/kg

Acute inhalation toxicity : LC50 > 10 mg/L

Acute dermal toxicity : LD50 > 5000 mg/kg

GHS Properties	Classification	Routes of entry
Acute toxicity	No classification proposed	Oral
Acute toxicity	No classification proposed	Dermal
Acute toxicity	No classification proposed	Inhalation - Dust and Mist
Acute toxicity	No classification proposed	Inhalation - Vapour
Acute toxicity	No classification proposed	Inhalation - Gas
Skin corrosion/irritation	No classification proposed	-

according to Hazard Communication Standard; 29 CFR 1910.1200



# SC JOHNSON PROFESSIONAL™ GLADE® AEROSOL (HAWAIIAN BREEZE™)

Version 2.2 Print Date 01/10/2017

Revision Date 10/19/2016 SDS Number 350000004593 GEN\_SOF Number 59170

Serious eye damage/eye irritation	No classification proposed	-
Skin sensitisation	No classification proposed	-
Respiratory sensitisation	No classification proposed	-
Germ cell mutagenicity	No classification proposed	-
Carcinogenicity	No classification proposed	-
Reproductive toxicity	No classification proposed	-
Specific target organ toxicity - single exposure	No classification proposed	-
Specific target organ toxicity - repeated exposure	No classification proposed	-
Aspiration hazard	No classification proposed	-

Aggravated Medical

: None known.

Condition

### 12. ECOLOGICAL INFORMATION

**Product :** The product itself has not been tested.

#### **Toxicity**

The ingredients in this formula have been reviewed and no adverse impact to the environment is expected when used according to label directions.

#### Toxicity to fish

Components	End point	Species	Value	Exposure time
Isobutane	LC50 QSAR	Fish	27.98 mg/l	96 h

according to Hazard Communication Standard; 29 CFR 1910.1200



# SC JOHNSON PROFESSIONAL™ GLADE® AEROSOL (HAWAIIAN BREEZE™)

BREEZE™)	
Version 2.2	Print Date 01/10/2017

Revision Date 10/19/2016 SDS Number 350000004593 GEN\_SOF Number 59170

Propane	LC50	Fish	27.98 mg/l	96 h

### Toxicity to aquatic invertebrates

Components	End point	Species	Value	Exposure time
Isobutane	LC50 QSAR	Daphnid	16.33 mg/l	48 h
Propane	LC50	Daphnid	14.22 mg/l	48 h

## Toxicity to aquatic plants

Components	End point	Species	Value	Exposure time
Isobutane	EC50 QSAR	Green algae	8.57 mg/l	96 h
Propane	No data available			

Persistence and degradability

Component	Biodegradation	Exposure time	Summary
Isobutane	70 %	< 10 d	Readily biodegradable
Propane	70 %	< 10 d	Readily biodegradable

### Bioaccumulative potential

Component	Bioconcentration	Partition Coefficient n-
	factor (BCF)	Octanol/water (log)

according to Hazard Communication Standard; 29 CFR 1910.1200



# SC JOHNSON PROFESSIONAL™ GLADE® AEROSOL (HAWAIIAN BREEZE™)

Version 2.2 Print Date 01/10/2017

Revision Date 10/19/2016 SDS Number 350000004593 GEN\_SOF Number 59170

Isobutane	1.57 - 1.97	2.8
Propane	No data available	2.36

#### **Mobility**

Component	End point	Value
Isobutane	No data available	
Propane	No data available	

#### PBT and vPvB assessment

Component	Results
Isobutane	Not fulfilling PBT and vPvB criteria
Propane	Not fulfilling PBT and vPvB criteria

Other adverse effects : None known.

# 13. DISPOSAL CONSIDERATIONS

Consumer may discard empty container in trash, or recycle where facilities exist.

# 14. TRANSPORT INFORMATION

Please refer to the Bill of Lading/receiving documents for up-to-date shipping information.

according to Hazard Communication Standard; 29 CFR 1910.1200



# SC JOHNSON PROFESSIONAL™ GLADE® AEROSOL (HAWAIIAN BREEZE™)

Version 2.2 Print Date 01/10/2017

Revision Date 10/19/2016 SDS Number 350000004593 GEN\_SOF Number 59170

	Land transport	Sea transport	Air transport
UN number	1950	1950	1950
UN proper	AEROSOLS,	AEROSOLS,	AEROSOLS,
shipping name	Flammable	Flammable	Flammable
Transport hazard	2.1	2	2.1
class(es)			
Packing group	-	-	-
Environmental	-	-	-
hazards			
Special	Limited quantities	Limited quantities	Limited quantities
precautions for	derogation may be	derogation may be	derogation may be
user	applicable to this	applicable to this	applicable to this
	product, please check	product, please	product, please check
	transport documents.	check transport	transport documents.
		documents.	

### 15. REGULATORY INFORMATION

Notification status : All ingredients of this product are listed or are excluded from

listing on the U.S. Toxic Substances Control Act (TSCA)

Chemical Substance Inventory.

Notification status : All ingredients of this product comply with the New Substances

Notification requirements under the Canadian Environmental

Protection Act (CEPA).

according to Hazard Communication Standard; 29 CFR 1910.1200



# SC JOHNSON PROFESSIONAL™ GLADE® AEROSOL (HAWAIIAN BREEZE™)

Version 2.2 Print Date 01/10/2017

Revision Date 10/19/2016 SDS Number 350000004593 GEN SOF Number 59170

### **16. OTHER INFORMATION**

### **HMIS Ratings**

Timio itatings	
Health	1
Flammability	4
Reactivity	0

**NFPA Ratings** 

Health	1	
Fire	4	
Reactivity	0	
Special	-	
Special	-	

This information is being provided in accordance with the Occupational Safety and Health Administration (OSHA) regulation (29 CFR 1910.1200). The information supplied is designed for workplaces where product use and frequency of exposure exceeds that established for the labeled consumer use.

#### **Further information**

This document has been prepared using data from sources considered to be technically reliable. It does not constitute a warranty, expressed or implied, as to the accuracy of the information contained herein. Actual conditions of use are beyond the seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

Prepared by	SC Johnson Global Safety Assessment &
	Regulatory Affairs (GSARA)

UnoClean.com (224) 654-6500