

# EFFICACY SUMMARY

# POWDERED DETERGENT/DISINFECTANT

CLEANER • DEODORIZER • DISINFECTANT MILDEWSTAT (on hard inanimate surfaces) FUNGICIDE (against pathogenic fungi) DETERGENT • VIRUCIDE

EPA REG.NO.1839-93-3640 EPA EST. NO. 3640-WI-01



Powdered Detergent/Disinfectant ST-794, 90 x 0.5 wt. oz.

Stearns Powdered Detergent/Disinfectant is a premeasured, phosphate-free, dual-quaternary detergent/disinfectant concentrate that cleans and deodorizes in one step. It provides the disinfection strength sought by infection control management in hospitals, nursing homes, and other health care facilities where housekeeping is of prime importance. Powdered Detergent/Disinfectant controls the hazards of cross-contamination.

When used at the use dilution of ½ oz. per gallon of water, Powdered Detergent/Disinfectant will disinfect hard, inanimate surfaces such as tables, chairs, walls, floors, and sink tops. For larger areas, such as operating rooms, patient care facilities, and restrooms, Powdered Detergent/Disinfectant provides general cleaning and disinfection.

Deodorizing diaper bins, garbage pails, and other refuse storage areas is easy since Powdered Detergent/Disinfectant eliminates odors caused by microorganisms and controls the growth of mold and mildew. The unique odor counteractant system built into the formula has time-proven capabilities in controlling odors.

Powdered Detergent/Disinfectant provides antimicrobial activity and professional strength cleaning. Powdered Detergent/Disinfectant has been tested according to the Association of Official Analytical Chemists (AOAC) Use-Dilution Method. This testing protocol confirms broadspectrum antimicrobial activity against gram positive and gram negative bacteria, pathogenic fungi, and viruses required by the United States Environmental Protection Agency (US EPA).

Of prime concern in today's health care environment is eliminating the risk of exposure to the HIV-1 virus that causes AIDS, Hepatitis B Virus (HBV), and Hepatitis C Virus (HCV). Powdered Detergent/Disinfectant kills HIV-1 on pre-cleaned environmental surfaces and objects previously soiled with blood or body fluids. This minimizes the risks of transmission of HIV-1 since Powdered Detergent/Disinfectant has been laboratory-proven effective as a virucide, fungicide, and bactericide even in the presence of organic soil (5% blood serum).



EFFICACY SUMMARY FOR POWDERED DETERGENT/DISINFECTANT





#### DISINFECTION DATA:

Test Method: AOAC Use Dilution

Test Conditions: 0.5 ounce / gallon dilution (deionized water), 5% blood serum, 10 minute contact time, stainless steel carrier

substrates, 20 degree C. exposure temperature.

Results:

		NUMBER OF CARRIERS		PHENOL RESISTANCE			
<u>Test Organism</u>	SAMPLE	EXPOSED	POSITIVE	DILUTION	EXPOSURE TIME (MIN.) VS. GROWTH		
					5	10	15
Brevibacterium ammoniagenes (ATCC 6871)	Α	10	0	1:110	+	0	0
	В	10	0	1:120	+	+	+
Enterobacter aerogenes (ATCC 13048)	Α	10	0	1:90	+	0	0
	В	10	0	1:100	+	+	+
Escherichia coli (ATCC 11229)	Α	10	0	1:90	+	0	0
	В	10	0	1:100	+	+	0
Klebsiella pneumoniae	Α	10	0	1:60	+	0	0
(ATCC 4352)	В	10	0	1:70	+	+	+
	Α	60	1	1:80	+	0	0
Pseudomonas aeruginosa PRD-10 (ATCC 15442)	В	60	1	1:90	+	+	+
	С	60	0				
Salmonella (choleraesuis) enterica (ATCC 10708)	Α	60	0	1:90	+	0	0
	В	60	0	1:100	+	+	+
	С	60	0				
Salmonella (schottmuelleri)	Α	10	0	1:80	+	0	0
enterica (ATCC 8759)	В	10	0	1:90	+	+	+
Shigella dysenteriae	Α	10	0	1:90	+	0	0
(ATCC 12180)	В	10	0	1:100	+	+	+
Staphylococcus aureus (ATCC 6538)	Α	60	0	1:60	+	0	0
	В	60	0	1:70	+	+	+
	С	60	0				
Streptococcus faecalis (ATCC 10541)	Α	10	0	1:60	+	0	0
	В	10	0	1:70	+	+	+

#### Conclusion:

Under the conditions of these investigations, Powdered Detergent / Disinfectant demonstrated **disinfectant** activity against Brevibacterium ammoniagenes, Enterobacter aerogenes, Escheria coli, Klebsiella pneumoniae, Pseudomonas aeruginosa, Salmonella (choleraesuis) enterica, Salmonella (schottmuelleri) enterica, Shigela dysenteriae, Staphylococcus aureus, and Streptococcus faecalis according to criteria established by the U.S. Environmental Protection Agency for registration and labeling of a disinfectant product as a bactericide.

#### VIRUCIDAL DATA:

**Test Methods:** US EPA Pesticide Assessment Guidelines, Subdivision G: Product Performance, 1982, Section 91-30, pp. 72-76. **Test Conditions:** 0.5 ounce / gallon dilution (deionized water), 10 minute contact time tested in the presence of organic soil load

glass petri dish substrates.

#### Results:

<u>Test Organism</u>		SAMPLE	LOG REDUCTION			
Canina Diatampar	ATCC VD 100	А	≥4.0 Log <sub>10</sub>			
Canine Distemper	ATCC VR-128	В	≥4.0 Log <sub>10</sub>			
Feline Pneumonitis	ATCC VR-120	Α	≥4.0 Log <sub>10</sub>			
reille Fheumonius	ATCC VN-120	В	≥4.0 Log <sub>10</sub>			
Hepatitis B Virus (HBV)		Α	≥3.17 Log <sub>10</sub>			
Hepatitis B virus (HBV)		В	≥3.17 Log <sub>10</sub>			
Hopotitic C Virus (HCV)		Α	≥3.06 Log <sub>10</sub>			
Hepatitis C Virus (HCV)		В	≥3.06 Log <sub>10</sub>			
Harnas Simpley Type 1	ATCC VR-260	Α	≥4.0 Log <sub>10</sub>			
Herpes Simplex Type 1	ATCC VN-200	В	≥4.0 Log <sub>10</sub>			
Human Immunodeficiency Virus, HTLV-III <sub>RE</sub> , strain		Α	≥3.0 Log <sub>10</sub>			
of HIV-1 (associated with AIDS)		В	≥3.0 Log <sub>10</sub>			
Influenza		Α	≥5.3 Log <sub>10</sub>			
Influenza A <sub>2</sub>		В	≥5.3 Log <sub>10</sub>			
Pandemic 2009 H1N1 Influenza A Virus (Refer to NOTE below.)						
Parainfluonza Typo 1 (Sandai)	ATCC VR-105	Α	≥4.0 Log <sub>10</sub>			
Parainfluenza Type 1 (Sendai)		В	≥4.0 Log <sub>10</sub>			
Vaccinia	ATCC VR-156	Α	≥3.0 Log <sub>10</sub>			
vaccina	ATCC VIN-156	В	≥3.0 Log <sub>10</sub>			

#### Conclusion:

Under the conditions of this investigation, Powdered Detergent / Disinfectant was **virucidal** for Canine Distemper, Feline Pneumonitis, Human Immunodeficiency Virus (HIV), Hepatitis B Virus (HBV), Hepatitis C Virus (HCV), Herpes Simplex 1, Influenza A<sub>2</sub>, Pandemic 2009 H1N1 Influenza A Virus, Parainfluenza Type 1 (Sendai), and Vaccinia according to criteria established by the U.S. Environmental Protection Agency for registration and labeling of a disinfectant product as a virucide.

**NOTE:** Per the EPA guidance document dated October 21, 2009, disinfectant products that bear label claims against human, avian, or swine influenza A virus, and have submitted and received approval of efficacy data to support these label claims, may include a label claim against the Pandemic 2009 H1N1 Influenza A Virus.

#### **FUNGICIDAL DATA:**

Test Method: Modified AOAC Use Dilution

**Test Organism:** *Tricophyton mentagrophytes* (ATCC 9533)

Test Conditions: 0.5 ounce / gallon dilution (deionized water), 5% sterile blood serum, 20 degree C. exposure temperature.

Results:

	NUMBER OF CARRIERS		PHENOL RESISTANCE				
SAMPLE EXPOSI	EVDOCED DOCITION	DOSITIVE	DILUTION	EXPOSURE TIME (MIN.) VS. GROWTH			
	EXPOSED	POSITIVE		5	10	15	
Α	10	0	1:60	+	0	0	
В	10	0	1:70	+	+	+	
				+ = growth	0 = no growth		

#### **Conclusions:**

Under the conditions of this investigation, Powdered Detergent / Disinfectant was **fungicidal** for *Tricophyton mentagrophytes* according to criteria established by the U.S. Environmental Protection Agency for registration and labeling of a disinfectant product as a fungicide.

#### MILDEW FUNGISTATIC DATA:

**Test Method:** Hard Surface Mildew Fungistatic Test

Test Organism: Aspergillus niger (ATCC 6275)

Test Conditions: 0.5 ounce / gallon dilution (deionized water) tile substrates.

Results:

SAMPLE	NUMBER OF EXPOSED TILES	NUMBER OF TILES SHOWING GROWTH
Α	10	0
В	10	0
Control	10	10

#### Conclusion:

Under the conditions of this investigation, Powdered Detergent / Disinfectant was **fungistatic** for *Aspergillus niger* according to criteria established by the U.S. Environmental Protection Agency for registration and labeling of a disinfectant product as a fungistat.



## WATER-SOLUBLE • PREMEASURED PACKETS • DISPENSER-FREE Packaged For Institutional and Industrial Use

## POWDERED DETERGENT/DISINFECTANT

**CLEANER • DEODORIZER • DISINFECTANT** MILDEWSTAT (on hard inanimate surfaces) FUNGICIDE (against pathogenic fungi) **DETERGENT • VIRUCIDE** 



## Cleaning Ability:

Stearns Powdered Detergent/Disinfectant suspends and emulsifies even hardened and dried-on soils without redeposition. The powerful detergent of Powdered Detergent/Disinfectant removes the soil residues that might otherwise inhibit the disinfection process. This potent combination of detergency and disinfection power protects your staff and patients from the spread of disease. However, a twostep cleaning process is required where blood or body fluids are present.

Powdered Detergent/Disinfectant will not damage tile, grouted floors, or most painted surfaces.

Stearns Powdered Detergent/Disinfectant Specifications:			
EPA Registration Number:	1839-93-3640		
Use Dilution:	½ wt. oz. per gallon of water		
Active Ingredients:	Alkyl dimethyl benzyl ammonium chloride		
	Alkyl dimethyl ethylbenzyl ammonium chloride		
Percent Active Quaternary:	15.9% (in concentrated product)		
Activity at Use Dilution:	621 ppm		
Detergent Type:	Nonionic		
pH at Use Dilution:	8.5		
Phosphates:	None		
Appearance:	Off-white powder		
Fragrance:	Lemon		
Packaging:	ST-794 2 x 90 x 0.5 wt. oz. water-soluble packet		
	ST-803 400 x 0.5 wt. oz. water-soluble packet		

